



DOOR BLASTER HDB 90 ST

How does it work?



- Complete system can be carried, installed and operated by one person.
- Position door opener in door frame.
- Quick and quiet installation. Press button on door opener to clamp it into door frame within seconds.

- Quiet and extremely fast remote operation. Door open in seconds. Choice between mounted control (on 2 m. hose) and wireless operation (radio range: 100 m. clear line of sight).
- Remote quick-release function makes door opener drop. Rubber fall protection prevents damage to the tool.


WATCH THE VIDEO ON HOLMATRO.COM/DOORBLASTER

FEATURES & BENEFITS

This is what makes the Door Blaster so unique

resistance, multiple lock, inward

opening doors



operation • As fast as explosives without

- the flying debris
- Opens a door in seconds

Extremely fast & quiet

• Pneumatic-hydraulic drive: noiseless



Push button on door opener for clamping

• Quick, quiet and easy installation



Remote operation

- To activate door opener from a distance
- To quickly release door opener from a distance
- Enhances operator safety
- Choice between mounted control on 2 m. hose or the new Wireless Control Set (radio range: 100 m. clear line of sight)



• No interruption of your operation



Lightweight with compact dimensions

- Carrying, installation and operation by one person; saves manpower
- · Limits the risk of making noise by knocking into things



Pump, air bottle and converter in practical backpack

- Easy carrying by one person
- With PALS webbing to hold additional equipment (e.g. pouch with wireless receiver or extra air bottle)
- Quick-release clasps for immediate release of backpack



NEW! Wireless Control Set

- To operate the Door Blaster from a distance up to 100 m.
- Battery charging and connection to backpack with one single cable
- Stand-by mode of 48 hours
- Various feedback functions on remote control: connection status, action complete status of pushing cylinder, action complete status of quick release function, battery status of both receiver and control unit

6 | Door Blaster HDB 90 ST

DOOR BLASTER SET



HDB 90 ST

specifications		HDB 90 ST
article number		150.006.850
min. length incl. grip heads	mm	760
max. length excl. extension pieces	mm	930
max. length incl. extension pieces	mm	1230
max. spreading force	kN/t	51 / 5.2
max. pushing force	kN/t	38 / 3.9
pushing stroke	mm	200
weight ready for use	kg	10.8
dimensions (L x W x H)	mm	760 x 300 x 85
temperature range		-20°C - +55°C



Door Blaster HDB 90 ST

To be used in combination with one of the Door Blaster Packs.

HDB P 240 ST (WO)

specifications		HDB P 240 ST	HDB P 240 ST WO
article number		150.182.313	151.000.748
weight ready for use	kg	13.1	13.4
dimensions (L x W x H)	mm	490 x 320 x 140	490 x 320 x 150
temperature range		-20°C - +55°C	-20°C - +55°C
compatible with Wireless Contr	rol Set		√

Door Blaster Pack HDB P 240 ST (WO)

Drive unit for the Door Blaster . Available in 2 versions:

- HDB P 240 ST: with mounted hose set incl. remote control
- -HDB P 240 ST WO: with mounted hose set incl. remote control and compatible with Wireless Control Set WCS01

specifications		HAB 01 ST
article number		350.182.092
capacity	I	2
max. pressure	bar / MPa	200 / 20

^{*} meets bullet test according to EN 12245







WCS01

specifications		WCS01
article number		151.000.851
radio range (clear line of sight)	m	100
battery type		12V SLA (5Ah)
weight ready for use	kg	3.5
dimensions (L x W x H)	mm	390 x 160 x 160
temperature range		-15°C - +50°C

Wireless Control Set WCS01

Required accessory for Door Blaster Pack HDB P 240 ST WO. To operate the Door Blaster from a larger distance. Radio range: 100 m. clear line of sight.



specifications	BCH11
article number	151.001.297
mains voltage	220 -240 VAC

Charger BCH11

Required accessory for Door Blaster Pack HDB P 240 ST WO.

To charge the battery of the receiver in the Wireless Control Set.



BCH11

8 | Door Blaster HDB 90 ST

ACCESSORIES - DOOR BLASTER HDB 90 ST

AN OVERVIEW OF THE ACCESSORIES INCLUDED



incl	uded accessories Door Blaster HDB 90 ST	Art. No.
1	Round pushing plate DBP 12	151.000.041
2	Rectangular pushing plate DBP 14	151.000.040
3	Extension piece DBE 03, for 50 mm extension	151.000.649
4	Extension piece DBE 01, for 100 mm extension	151.000.039
5	Extension piece DBE 02, for 200 mm extension	151.000.038
6	Grip head DBH 11, square with fine profile	150.006.573
7	Grip head DBH 12, round with fine profile	150.006.855
8	Grip head DBH 21, square with coarse profile	150.006.574 (2x)
9	Grip head DBH 23, with extra long tooth	150.182.321 (2x)
10	Carrying/storage bag DBC 01	150.182.329
11	Air Bottle Pressure Tester HPT 01	350.182.127

ABOUT HOLMATRO

For over half a century, Holmatro has been developing, producing and testing high-pressure hydraulic equipment for industrial companies and fire & rescue organizations. Based on the needs of these users, our products are known for their high quality and innovative technology. Throughout the years this has also attracted other users groups looking for specific hydraulic tools, such as SWAT teams, other special police units and military special operations forces. Their input has helped us design a full range of Special Tactics equipment meeting requirements such as low visibility, optimal portability and quiet operation.

> Holmatro products are manufactured in the Netherlands and the USA at our state-of-the-art production facilities. We sell and service these products worldwide, through offices in various countries and an extensive dealer network.

> > When it comes to Holmatro Special Tactics Equipment, our engineers combine high-pressure hydraulics with innovative technology, materials and design. The result is a range of tools that are both powerful and lightweight. Moreover, you can operate these tools quickly and quietly, which makes them perfectly suited for tactical operations. This offers new options to police and military special forces searching for reliable solutions to help them complete their critical tasks.

While the greatest care has been devoted to the content, it is possible that the information in this printed matter is incorrect or incomplete, N.V. Holmatro and its affiliated companies (here-after: Holmatro) cannot be held liable in any way for the consequences of activities undertaken based on this printed matter. If you have any doubts about the correctness or completeness of the information, please contact Holmatro (phone number: +31 (0)162-589200). Nothing from this printed matter can be copied and/or made public in any way without the explicit authorization of Holmatro.

> WATCH THE VIDEO ON **HOLMATRO.COM/ DOORBLASTER**

BREAKING BARRIERS

holmatro.com